

\$1 U.S.



# Factory-Direct Catalog



**Free Shipping** on Orders of \$100 or More. See page 3 for details.

**TO ORDER:** 1-800-777-7094 MONDAY – FRIDAY 7 A.M. – 7 P.M. CT | **AMSOIL.com**



## Product Index

Motor Oil	4
European Motor Oil	9
Classic/Collector Car Motor Oil	10
Racing Oil	11
Diesel Oil	12
Oil Analysis	15
ATV/UTV Oil	16
Snowmobile Oil/Dirt Bike Oil/ Suspension Fluid	17
Motorcycle Oil	18
Scooter Oil	20
Briggs & Stratton Synthetic 4T Racing Oil	21
Marine Oil	22
2-Stroke Oil	24
Chaincase & Gear Oil	25
Small-Engine Oil	26
Transmission Fluid	27
Gear Lube	31
Filters	33
Grease	35
Air Tool Oil/ Bar and Chain Oil	37
Compressor Oil/Fuel Additives	38
Cleaners and Protectants	43
Power Steering Fluid/Coolant Boost/Coolant	46
Car-Care Products	48
Brake Fluid/Brake and Parts Cleaner	49
Waterless Wash & Wax/ Aftermarket Partners	50

\*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.



All AMSOIL lubricants and filters are covered by the AMSOIL Limited Warranty. For details visit [AMSOIL.com/warranty.aspx](https://www.amsoil.com/warranty.aspx).

# Power Big Savings with Preferred Customer Membership

## Preferred Customers Enjoy



### Reduced Pricing

Up to 25% off every order



### \$5 Back

Get a \$5 coupon with every \$100 you spend



### Birthday Gift

Celebrate your day with \$5 off



### Free Shipping

On orders over \$100



### Free Membership

When you spend \$500 in a year



### Exclusive Promotions

Throughout the year

Plus, you will receive the quarterly *AMSOIL Magazine* with the latest product details, technical information and complete product catalog.

**Six-month trial membership just \$10.**

**Full year of membership for just \$20.**

Sign up at [AMSOIL.com/pc](http://AMSOIL.com/pc) today and use this referral number. ▼

Referral # \_\_\_\_\_

## TECHNICAL QUESTIONS

(715) 399-8324 (TECH) or [tech@AMSOIL.com](mailto:tech@AMSOIL.com)

## SHIPPING AND HANDLING

**Contiguous U.S.** – Free shipping on orders of \$100 or more in the contiguous U.S. Orders below that threshold pay a flat shipping rate of \$9.99. Exclusions apply. See the shipping & handling policy at [AMSOIL.com/storefront/shippinginformation.aspx](http://AMSOIL.com/storefront/shippinginformation.aspx).

**Alaska** – Add 7.5 percent to product prices for extra freight expenses. See Shipping Info at [AMSOIL.com/storefront/shippinginformation.aspx](http://AMSOIL.com/storefront/shippinginformation.aspx).

**Hawaii** – Orders are shipped using the most cost-effective method and actual freight charges will be applied when orders are shipped. See Shipping Info at [AMSOIL.com/storefront/shippinginformation.aspx](http://AMSOIL.com/storefront/shippinginformation.aspx) for additional details.

**Military Post Boxes** – AMSOIL INC. ships orders to APO and FPO addresses for customers' personal use only. Orders are shipped using U.S. Mail Parcel Post and will be charged actual freight costs, which will be charged at the time the order is shipped. See Shipping Info at [AMSOIL.com](http://AMSOIL.com) for additional details.

## PRODUCT DAMAGED DURING SHIPPING

If there is visible damage to your order upon delivery, refuse the order. It will be returned to AMSOIL INC. for inspection and a new order will be sent at no extra charge to you. If you discover hidden damage after accepting delivery of your order, call 1-800-777-7094 for instructions.

## SALES TAX INFORMATION

AMSOIL INC. is required to collect state, city, county and other taxes. AMSOIL also collects any additional taxes on lubricating products required by certain states.



*Prices subject to change without notice.*

# WHY BUY SIGNATURE SERIES?

## Signature Series Delivers Powerful Protection

AMSOIL delivers powerful protection. How good is it? An independent lab compared AMSOIL synthetic motor oil head-to-head against a leading competitor in a 100,000-mile test<sup>F</sup>. AMSOIL provided far superior wear protection and kept bearings looking like new.

<sup>F</sup>Testing conducted in an independent lab using AMSOIL Signature Series 5W-30 Synthetic Motor Oil and a leading synthetic-blend 5W-30 motor oil in Ford F-150 trucks with 3.5L twin-turbo engines.



## AMSOIL Resists Viscosity Increase

AMSOIL is barely challenged by the industry-standard testing, demonstrating only a 0.1% viscosity increase. Even when the test length is doubled, AMSOIL **delivered twice the viscosity control** required by the standard.<sup>GG</sup>

<sup>GG</sup>Based on independent testing of AMSOIL Signature Series 5W-30 in the Sequence IIH Engine Test (ASTM D8111), required by the ILSAC GF-6 and API SP specifications.



## AMSOIL Keeps Pistons Cleaner

Even after doubling the length of the industry-standard test, AMSOIL delivered **40% cleaner pistons** than required by the standard.<sup>FF</sup>

<sup>FF</sup>Based on independent testing of AMSOIL Signature Series 5W-30 in the Sequence IIH Engine Test (ASTM D8111), required by the ILSAC GF-6 and API SP specifications.

## Signature Series Protects Against LSPI

AMSOIL Synthetic Motor Oils achieved **100% protection** against LSPI.<sup>B</sup>

<sup>B</sup>Based on zero LSPI events in five consecutive tests of AMSOIL Signature Series, XL and OE 5W-30 Motor Oil in the LSPI engine test required by the GM dexos1 Gen 2 specification.

## Signature Series Guards Turbos

Protects turbochargers **72% better** than required<sup>C</sup> by the GM dexos1<sup>®</sup> Gen 2 specification.

<sup>C</sup>Based on independent testing of AMSOIL Signature Series 5W-30 in the GM turbo coking test.

## Signature Series Cleans

AMSOIL Signature Series Synthetic Motor Oil has **50% more** detergents<sup>D</sup> to help keep oil passages clean and promote oil circulation. It provides **90% better protection** against sludge.<sup>DD</sup>

<sup>D</sup>vs. AMSOIL OE Motor Oil <sup>DD</sup>Based on independent testing of AMSOIL Signature Series 5W-30 in the ASTM D6593 engine test for oil screen plugging as required by the API SN specification.

**Signature Series Fights Wear  
75% more engine protection**

against horsepower loss and wear.<sup>A</sup>

<sup>A</sup>Based on independent testing of AMSOIL Signature Series OW-20 using the ASTM D6891 standard test.

**SIGNATURE SERIES SYNTHETIC MOTOR OIL**

Engineered for enthusiasts seeking maximum protection and performance. Precision-formulated with cutting-edge technology and a longstanding devotion to making the world's best motor oil. The result: engine protection that blows the doors off the highest industry standards. Guaranteed protection for up to 25,000 miles or 1 year, whichever comes first.



AZS



ASM



ALM



AZO



ASL



ATM



AZF



AMR

● **OW-16**

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AZSQT	EA	1 Quart	11.89	15.49
AZSQT	CA	12 Quarts	134.75	183.55

● **OW-20**

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASMQT	EA	1 Quart	11.89	15.49
ASMQT	CA	12 Quarts	134.75	183.50
ASM1G	EA	1 Gallon	44.29	57.69
ASM1G	CA	4 Gallons	167.85	229.05

● **5W-20**

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ALMQT	EA	1 Quart	11.89	15.49
ALMQT	CA	12 Quarts	134.75	183.50
ALM1G	EA	1 Gallon	44.29	57.69
ALM1G	CA	4 Gallons	167.85	229.10

● **OW-30**

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AZOQT	EA	1 Quart	11.89	15.49
AZOQT	CA	12 Quarts	134.75	183.50
AZO1G	EA	1 Gallon	44.29	57.69
AZO1G	CA	4 Gallons	167.85	229.05

● **5W-30**

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASLQT	EA	1 Quart	11.89	15.49
ASLQT	CA	12 Quarts	134.75	183.55
ASL1G	EA	1 Gallon	44.29	57.69
ASL1G	CA	4 Gallons	167.85	229.10

● **10W-30**

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATMQT	EA	1 Quart	11.89	15.49
ATMQT	CA	12 Quarts	134.75	183.55
ATM1G	EA	1 Gallon	44.29	57.69
ATM1G	CA	4 Gallons	167.85	229.15

● **OW-40**

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AZFQT	EA	1 Quart	11.89	15.49
AZFQT	CA	12 Quarts	134.75	183.50
AZF1G	EA	1 Gallon	44.29	57.69
AZF1G	CA	4 Gallons	167.85	229.05

○ **5W-50**

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMRQT	EA	1 Quart	11.89	15.49
AMRQT	CA	12 Quarts	134.75	183.55



XLZ

XLM

XLF

XLT

XLO



### Extended-Life 100% Synthetic Motor Oil

Overbuilt for road warriors so you can confidently drive up to 20,000 miles or 1 year, whichever comes first, between oil changes. A proprietary combination of advanced synthetic base oils and a boosted additive package promotes cleanliness and prolonged engine life. AMSOIL Extended-Life protection delivers peace of mind and convenience. Provides **37% more cleaning power** to help keep your engine running smoother, longer.<sup>LU</sup>

#### ● 0W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLZQT	EA	1 Quart	9.89	13.09
XLZQT	CA	12 Quarts	112.25	154.60
XLZ1G	EA	1 Gallon	38.79	50.99
XLZ1G	CA	4 Gallons	146.95	202.15

#### ● 5W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XMLQT	EA	1 Quart	9.89	13.09
XMLQT	CA	12 Quarts	112.25	154.60
XML1G	EA	1 Gallon	38.79	50.99
XML1G	CA	4 Gallons	146.95	202.15

#### ● 5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLFQT	EA	1 Quart	9.89	13.09
XLFQT	CA	12 Quarts	112.25	154.60
XLF1G	EA	1 Gallon	38.79	50.99
XLF1G	CA	4 Gallons	146.95	202.15

#### ● 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLTQT	EA	1 Quart	9.89	13.09
XLTQT	CA	12 Quarts	112.25	154.60
XLT1G	EA	1 Gallon	38.79	50.99
XLT1G	CA	4 Gallons	146.95	202.15

#### ○ 10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLOQT	EA	1 Quart	9.89	13.09
XLOQT	CA	12 Quarts	112.25	154.60
XLO1G	EA	1 Gallon	38.79	50.99
XLO1G	CA	4 Gallons	146.95	202.15

"Put this in my light duty, full size pickup. Noticeable difference right away. Engine quieter and clean."

— Jim P  
Northern VA

<sup>LU</sup>Compared to AMSOIL OE Synthetic Motor Oil.



OES

OEZ

OEM

OEF

OET

OEG



### OE 100% Synthetic Motor Oil

Delivers 100% synthetic engine protection for advanced automotive technology, including turbos and direct injection. **Provides 47% more wear protection.**<sup>6</sup>

Specifically formulated for the longer drain intervals recommended by original equipment (OE) manufacturers.

#### ● 0W-16

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OESQT	EA	1 Quart	7.49	9.99
OESQT	CA	12 Quarts	84.40	118.95

#### ● 0W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OEZQT	EA	1 Quart	7.49	9.99
OEZQT	CA	12 Quarts	84.40	118.95
OEZ1G	EA	1 Gallon	29.39	39.59
OEZ1G	CA	4 Gallons	111.10	156.25

#### ● 5W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OEMQT	EA	1 Quart	7.49	9.99
OEMQT	CA	12 Quarts	84.40	118.95
OEM1G	EA	1 Gallon	29.39	39.59
OEM1G	CA	4 Gallons	111.10	156.25

#### ● 5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OEFQT	EA	1 Quart	7.49	9.99
OEFQT	CA	12 Quarts	84.40	118.95
OEF1G	EA	1 Gallon	29.39	39.59
OEF1G	CA	4 Gallons	111.10	156.25

#### ● 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OETQT	EA	1 Quart	7.49	9.99
OETQT	CA	12 Quarts	84.40	118.95

#### ● 0W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OEGQT	EA	1 Quart	7.49	9.99
OEGQT	CA	12 Quarts	84.40	118.95
OEG1G	EA	1 Gallon	29.39	39.59
OEG1G	CA	4 Gallons	111.10	156.25

### Tough-to-reach fill hole?

Order a FloTool Flexible Pour Spout with your oil to make the job easier. Fits easy-packs, quarts and gallons.

STOCK#	P.C. PRICE	FULL PRICE
G3721	4.20	4.65



<sup>6</sup>Based on independent testing of OE 0W-20 in the Peugeot TU3M Wear Test as required by the dexos1 Gen 2 specification.



## 100% Synthetic Hybrid Motor Oil

Custom formulation designed to combat the unique challenges posed by hybrid electric vehicles (HEV) and plug-in hybrid electric vehicles (PHEV), like frequent starts and stops and fuel dilution. It flows quickly to reach critical components when the engine engages. AMSOIL Hybrid Motor Oil features a robust viscosity that protects against the harmful effects of fuel dilution. Protects for up to 15,000 miles or 1 year, whichever comes first.<sup>1</sup>

### ● 0W-8

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
HE08QT	EA	1 Quart	8.99	11.89
HE08QT	CA	12 Quarts	102.05	141.50

### ● 0W-16

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
HE016QT	EA	1 Quart	8.99	11.89
HE016QT	CA	12 Quarts	102.05	141.50

### ● 0W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
HE020QT	EA	1 Quart	8.99	11.89
HE020QT	CA	12 Quarts	102.05	141.50



## 100% Synthetic High-Mileage Motor Oil

Designed specifically for the unique demands of high-mileage engines, helping extend the life of vehicles. It features a unique formulation that delivers extra detergency and a robust viscosity to clean and protect high-mileage engines with 75,000+ miles. It delivers purpose-built protection at a time in a vehicle's life where it could benefit from more-robust maintenance. AMSOIL High-Mileage Motor Oil cleans and protects engines with boosted detergency and an additive package that fights oil breakdown and oil leaks. Protects for up to 12,000 miles or 1 year, whichever comes first.

### ● 0W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
HM020QT	EA	1 Quart	8.99	11.89
HM020QT	CA	12 Quarts	102.05	141.50
HM0201G	EA	1 Gallon	35.29	46.79
HM0201G	CA	4 Gallons	133.55	185.05

### ● 5W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
HM520QT	EA	1 Quart	8.99	11.89
HM520QT	CA	12 Quarts	102.05	141.50
HM5201G	EA	1 Gallon	35.29	46.79
HM5201G	CA	4 Gallons	133.55	185.05

### ● 5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
HM530QT	EA	1 Quart	8.99	11.89
HM530QT	CA	12 Quarts	102.05	141.50
HM5301G	EA	1 Gallon	35.29	46.79
HM5301G	CA	4 Gallons	133.55	185.05

### ● 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
HM1030QT	EA	1 Quart	8.99	11.89
HM1030QT	CA	12 Quarts	102.05	141.50
HM10301G	EA	1 Gallon	35.29	46.79
HM10301G	CA	4 Gallons	133.55	185.05

<sup>1</sup>AMSOIL 0W-8 Hybrid Motor Oil is recommended for OEM-recommended drain intervals.





**AMSOIL Synthetic European Motor Oil** features precisely balanced formulations that consider the needs of modern exhaust treatment devices. It is important to use an oil that meets the proper specification to ensure optimum engine protection and performance.

● **0W-20 LS-VW Synthetic European Motor Oil<sup>31</sup>**

API SN PLUS, SN... • ACEA C5 • VW 508.00/509.00, TL52577 • Porsche C20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EZTQT	EA	1 Quart	11.59	14.99
EZTQT	CA	12 Quarts	131.15	178.65

● **0W-20 LS Synthetic European Motor Oil**

API SN PLUS (Resource Conserving), SN, SM... • ILSAC GF-5 • ACEA C5, A1/B1 • BMW LL-17FE+ • MB 229.71 • Ford WSS-M2C947-B1 • Opel/Vauxhall OV0401547 • Fiat 9.55535-GSX • Chrysler MS-12145 • Volvo VCC RBS0-2AE

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AFEQT	EA	1 Quart	10.79	14.09
AFEQT	CA	12 Quarts	122.05	167.10

● **0W-30 MS Synthetic European Motor Oil**

Use in vehicles that require API SP, SN Plus, SN • ACEA C2/C3 • BMW LL-01FE • MB 229.31, 229.51, 229.52 • VW/Audi 504.00/507.00 • Porsche C30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EOTQT	EA	1 Quart	11.19	14.69
EOTQT	CA	12 Quarts	126.80	173.20

● **5W-30 LS Synthetic European Motor Oil**

Use in vehicles that require API SN, SM... • ACEA C3 • GM dexos2 • Chrysler MS-11106 • MB 229.51 • BMW LL-04 • Porsche C30 • VW 504.00/507.00

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AELQT	EA	1 Quart	12.59	16.39
AELQT	CA	12 Quarts	142.60	193.40
AEL1G	EA	1 Gallon	49.49	63.99
AEL1G	CA	4 Gallons	187.40	253.90

● **0W-40 FS Synthetic European Motor Oil<sup>13</sup>**

Use in vehicles that require ACEA A3/B3, A3/B4 • API SN, SM... • BMW LL-01 • MB 229.1, 229.3, 229.5 • Porsche A40 • Renault 0710, 0700 • VW/Audi 502.00/505.00

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EFOQT	EA	1 Quart	11.19	14.59
EFOQT	CA	12 Quarts	127.00	173.40

● **5W-40 MS Synthetic European Motor Oil**

Use in vehicles that require ACEA C3 • API SN, SM, CF... • BMW Longlife-04 • Chrysler MS-10850 (supersedes MS-10896) • Ford WSS-M2C917-A • GM dexos2 (supersedes LL-A-025 and LL-B-025) • Renault 0710, 0700 • VW/Audi 502.00/505.01 • MB-Approval 229.51 • Porsche A40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AFLQT	EA	1 Quart	11.89	15.49
AFLQT	CA	12 Quarts	134.55	183.15
AFL1G	EA	1 Gallon	46.69	60.59
AFL1G	CA	4 Gallons	176.90	240.50

● **5W-40 FS Synthetic European Motor Oil<sup>13</sup>**

Use in vehicles that require ACEA A3/B3, A3/B4 • API SN, SM... • BMW LL-01 • Renault 0710, 0700 • MB-Approval 229.5 • Porsche A40 • GM LL-B-025 • VW/Audi 502.00/505.00

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EFMQT	EA	1 Quart	8.89	11.89
EFMQT	CA	12 Quarts	100.95	140.20
EFM1G	EA	1 Gallons	35.09	46.59
EFM1G	CA	4 Gallons	132.90	184.30

○ **10W-60 FS Synthetic European Motor Oil<sup>13</sup>**

Use in vehicles that require API SN • ACEA A3/B3, A3/B4

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ETSQT	EA	1 Quart	9.79	12.99
ETSQT	CA	12 Quarts	110.95	153.05

<sup>31,13</sup>See page 51 for Proposition 65 information for this product.

# BUILD IT.

# CRUISE IT.



## Assembly Lube<sup>17</sup>

Formulated to cling to engine parts and provide exceptional wear protection in newly built or rebuilt high-performance, racing and other four-stroke engines.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EALTB	EA	(1) 4-oz. Tube	8.59	10.79
EALTB	CA	(12) 4-oz. Tubes	96.95	128.55

## ● Break-In Oil<sup>17</sup>

Allows for quick and efficient piston ring seating in new and rebuilt high-performance and racing engines.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
BRKQT	EA	1 Quart	8.89	11.89
BRKQT	CA	12 Quarts	100.95	140.45

## Z-ROD<sup>®</sup> Synthetic Motor Oil

High-zinc, high-phosphorus formulation engineered specifically for classic cars and performance vehicles.

### ● 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ZRTQT	EA	1 Quart	11.59	15.19
ZRTQT	CA	12 Quarts	131.70	179.60

### ● 10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ZRDQT	EA	1 Quart	11.59	15.19
ZRDQT	CA	12 Quarts	131.70	179.65

### ● 20W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ZRFQT	EA	1 Quart	12.69	16.39
ZRFQT	CA	12 Quarts	143.40	194.75

<sup>17</sup> See page 51 for Proposition 65 information for this product.



## AMSOIL Delivers Superior Rust Protection



In industry-standard testing, AMSOIL Z-ROD<sup>®</sup> completely prevented rust formation while a leading competitor did not.<sup>JJ</sup>

<sup>JJ</sup>Based upon in-house testing of AMSOIL Z-ROD 10W-40 and a leading competitor obtained on 7/25/2019 in ASTM D1748-10.

# RACE IT.

## PRODUCTS THE PROS USE



"AMSOIL products are the best on the market and definitely give us an added performance factor."

**Bryce Menzies**

Professional Off-Road Driver



## DOMINATOR® Synthetic Racing Oil

Superior performance and maximum protection in high-performance and racing applications.

### ● 5W-20<sup>17</sup>

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RD20QT	EA	1 Quart	14.39	18.59
RD20QT	CA	12 Quarts	163.45	220.25

### ● 10W-30<sup>17</sup>

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RD30QT	EA	1 Quart	13.79	17.89
RD30QT	CA	12 Quarts	156.85	211.85

### ● 10W-40<sup>17</sup>

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RD40QT	EA	1 Quart	13.79	17.89
RD40QT	CA	12 Quarts	156.85	211.80



### ● 20W-50 Synthetic Competition Diesel Oil<sup>13</sup>

Delivers 50% more film thickness<sup>o</sup> to withstand high cylinder pressures and protect against wear.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DCOQT	EA	1 Quart	12.99	16.79
DCOQT	CA	12 Quarts	146.95	199.15
DCO1G	EA	1 Gallon	50.99	65.89
DCO1G	CA	4 Gallons	193.35	261.85

<sup>o</sup>Compared to the 3.5 cP HTHS limit for SAE 15W-40.

### ● 15W-50<sup>17</sup>

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RD50QT	EA	1 Quart	14.49	18.69
RD50QT	CA	12 Quarts	164.40	221.50
RD501G	EA	1 Gallon	57.19	73.39
RD501G	CA	4 Gallons	216.65	291.65

### ● SAE 60<sup>17</sup>


STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RD60QT	EA	1 Quart	14.99	19.19
RD60QT	CA	12 Quarts	169.70	228.35

<sup>17, 13</sup>See page 51 for Proposition 65 information for this product.



## AMSOIL Fights Wear

AMSOIL delivers **powerful engine protection**. How good is it? In third-party testing compared to a leading brand, AMSOIL provided long-lasting wear protection, **keeping cylinder liners looking like new.**<sup>DD</sup>



<sup>DD</sup>Based on third party testing of AMSOIL 5W-30 Signature Series Max-Duty Synthetic Diesel Oil and a leading conventional 15W-40 diesel oil using the Detroit Diesel® DD13 Scuffing test for specification DFS 93K222. All trademarks names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.

## Signature Series Max-Duty Synthetic Diesel Oil

Use in vehicles that require API CK-4, CJ-4 or CI-4+

Engineered for maximum protection and performance for diesel engines. **Provides 6X more engine protection.**<sup>1</sup> Delivers up to 60% better turbo cleanliness<sup>1</sup> and withstands the extra demands you place on the turbo when pulling heavy loads or updating the tune for maximum horsepower. Provides up to 76% less oil consumption than required by the API CK-4 standard in the Caterpillar-1N oil consumption test. Provides up to 2X better rust protection.<sup>K</sup>

### ● 5W-30<sup>13</sup>

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DHDQT	EA	1 Quart	11.19	14.69
DHDQT	CA	12 Quarts	126.90	173.40
DHD1G	EA	1 Gallon	43.99	57.39
DHD1G	CA	4 Gallons	166.70	227.50
DHDTP	EA	(1) 2.5 Gallon	108.80	139.80
DHDTP	CA	(2) 2.5 Gallons	206.25	277.60


### ● 10W-30<sup>13</sup>

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DTTQT	EA	1 Quart	11.19	14.69
DTTQT	CA	12 Quarts	126.90	173.40
DTT1G	EA	1 Gallon	43.99	57.39
DTT1G	CA	4 Gallons	166.70	227.55
DTTTP	EA	(1) 2.5 Gallon	108.80	139.75
DTTTP	CA	(2) 2.5 Gallons	206.25	277.45

### ● 0W-40<sup>13</sup>

Delivers 4X better cold-temperature performance<sup>EE</sup>

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DZFQT	EA	1 Quart	11.19	14.59
DZFQT	CA	12 Quarts	126.90	173.30
DZF1G	EA	1 Gallon	43.99	57.39
DZF1G	CA	4 Gallons	166.70	227.40



DZF



### ● 5W-40<sup>13</sup>

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DEOQT	EA	1 Quart	11.19	14.69
DEOQT	CA	12 Quarts	126.90	173.40
DEO1G	EA	1 Gallon	43.99	57.39
DEO1G	CA	4 Gallons	166.70	227.55
DEOTP	EA	(1) 2.5 Gallon	108.80	139.85
DEOTP	CA	(2) 2.5 Gallons	206.25	277.70

### ○ 15W-40<sup>13</sup>

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DMEQT	EA	1 Quart	11.19	14.69
DMEQT	CA	12 Quarts	126.90	173.55
DME1G	EA	1 Gallon	43.99	57.39
DME1G	CA	4 Gallons	166.70	227.70
DMETP	EA	(1) 2.5 Gallon	108.80	139.95
DMETP	CA	(2) 2.5 Gallons	206.25	277.85

<sup>EE</sup>Based on specification standards of CAT C13 2nd Ring Top Land Carbon testing.  
<sup>1</sup>Based on industry standard testing using the MMMA FC-W Rust Test. <sup>13</sup>When required by the Detroit Diesel DD13 Scuffing Test for Specification DFS 93K222 using 5W-30 as worst-case representation. <sup>14</sup>When compared to SAE 15W-40 in ASTM D5293 Cold Cranking Viscosity Test.

<sup>13</sup> See page 51 for Proposition 65 information for this product.



# banks

## DIESEL

MOTORSPORTS  
www.DIESELmotorsports.us



ADN



ADO



ADP



### Heavy-Duty Synthetic Diesel Oil

Use in vehicles that require API CK-4, CJ-4 or CI-4+

Outstanding protection and performance for customers seeking an upgrade over conventional and other synthetic diesel oils. **Provides 4X more engine protection.<sup>1</sup>** Provides up to 66% less oil consumption than required by the API CK-4 standard in the Caterpillar-1N oil consumption test.

#### 10W-30<sup>13</sup>

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADNQT	EA	1 Quart	7.79	10.49
ADNOT	CA	12 Quarts	88.05	123.70
ADN1G	EA	1 Gallon	28.99	39.19
ADN1G	CA	4 Gallons	109.80	154.75
ADNTP	EA	(1) 2.5 Gallon	71.30	95.05
ADNTP	CA	(2) 2.5 Gallons	135.15	188.05

#### 5W-40<sup>13</sup>

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADOQT	EA	1 Quart	7.79	10.49
ADOOT	CA	12 Quarts	88.05	123.65
ADO1G	EA	1 Gallon	28.99	39.19
ADO1G	CA	4 Gallons	109.80	154.70
ADOTP	EA	(1) 2.5 Gallon	71.30	95.05
ADOTP	CA	(2) 2.5 Gallons	135.15	188.00

#### 15W-40<sup>13</sup>

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADPQT	EA	1 Quart	7.79	10.49
ADPQT	CA	12 Quarts	88.05	123.75
ADP1G	EA	1 Gallon	28.99	39.19
ADP1G	CA	4 Gallons	109.80	154.85
ADPTP	EA	(1) 2.5 Gallon	71.30	95.10
ADPTP	CA	(2) 2.5 Gallons	135.15	188.15

<sup>1</sup>than required by the Detroit Diesel DD13 Scuffing Test for Specification DFS 93K222 using 10W-30 as worst-case representation.

<sup>13</sup> See page 51 for Proposition 65 information for this product.

## 100% Synthetic Diesel Oil

Engineered specifically for smaller American diesel pickups, vans, cars and SUVs, providing outstanding protection, performance and fuel economy. Delivers up to 6X better wear protection than required by a leading industry standard.<sup>1</sup>



### ● 0W-20

Use in vehicles that require GM dexosD

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DP020QT	EA	1 Quart	10.59	13.89
DP020QT	CA	12 Quarts	120.35	164.90

### ● 5W-30

Use in vehicles that require GM dexosD, dexos2 • Chrysler MS-11106 • Ford WSS-M2C214-B1 • ACEA C3

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DP530QT	EA	1 Quart	10.09	13.39
DP530QT	CA	12 Quarts	114.70	157.70



## ● 15W-40 Synthetic Heavy Duty Diesel and Marine Oil<sup>13</sup>

Engineered for pre-2007 on- and off-road diesel applications not equipped with diesel particulate filters (DPFs).

Use in vehicles that require API CI-4+

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMEQT	EA	1 Quart	11.79	15.29
AMEQT	CA	12 Quarts	133.10	181.45
AME1G	EA	1 Gallon	46.19	59.99
AME1G	CA	4 Gallons	174.90	238.20
AMETP	EA	(1) 2.5 Gallon	114.25	146.45
AMETP	CA	(2) 2.5 Gallons	216.50	290.80

<sup>1</sup>Based on third-party testing in the OM646LA cam wear test using 0W-20 as worst-case representation.

<sup>13</sup>See page 51 for Proposition 65 information for this product.

### Like Heavy Duty Diesel and Marine Oil?

Try Signature Series Max-Duty 15W-40 for a serious upgrade. See page 12.

AMO



## Premium Protection Synthetic Motor Oil

Ideal for older gasoline engines and pre-2007 diesel applications not equipped with diesel particulate filters (DPFs), where the extra protection of a high-zinc formula is desired.

### ● 10W-40<sup>13</sup>

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMOQT	EA	1 Quart	11.79	15.39
AMOQT	CA	12 Quarts	133.60	182.00
AMO1G	EA	1 Gallon	46.39	60.19
AMO1G	CA	4 Gallons	175.60	239.00
AMOTP	EA	(1) 2.5 Gallon	114.70	146.95
AMOTP	CA	(2) 2.5 Gallons	217.40	291.80

ARO



### ● 20W-50<sup>13</sup>

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AROQT	EA	1 Quart	12.29	15.99
AROQT	CA	12 Quarts	139.50	189.70
ARO1G	EA	1 Gallon	48.39	62.79
ARO1G	CA	4 Gallons	183.45	249.25

<sup>13</sup>See page 51 for Proposition 65 information for this product.

## Oil Analysis

AMSOIL offers oil analysis service options from Oil Analyzers Inc. By analyzing used engine oil, a qualified lab can detect mechanical problems your equipment may have developed. For more information, visit [www.oaitesting.com](http://www.oaitesting.com).

STOCK#	PKG./SIZE	P.C. PRICE	FULL PRICE
KIT01	1 sample kit (includes two-way postage)	31.65	37.80
KIT02	1 sample kit (includes UPS shipping)	31.65	37.80
KIT06	1 sample kit	22.15	26.55
KIT14	1 value sample kit	18.45	22.10
KIT18	1 all-in-one sample kit	94.95	112.80
G1206	Oil Suction Pump w/10-ft. hose	26.25	28.90
G1571	Replacement Hose 25-ft.	8.35	9.20

**Oil Analyzers**  
INC.

## SYNTHETIC ATV/UTV MOTOR OIL

Formulated to provide upgraded performance and protection for hard-working and performance ATVs and UTVs.

### ● 10W-30<sup>13</sup>

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AUV30QT	EA	1 Quart	10.39	14.59
AUV30QT	CA	12 Quarts	117.60	172.75

### ● 5W-40<sup>13</sup>

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AUV54QT	EA	1 Quart	12.29	17.09
AUV54QT	CA	12 Quarts	139.15	202.25

### ● 10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AUV40QT	EA	1 Quart	11.39	15.99
AUV40QT	CA	12 Quarts	129.60	189.25

### ○ 0W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AUV05QT	EA	1 Quart	14.49	19.99
AUV05QT	CA	12 Quarts	164.75	237.50

### ● 5W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AUV50QT	EA	1 Quart	12.59	17.39
AUV50QT	CA	12 Quarts	142.25	206.55

### ● Synthetic ATV/UTV Transmission & Differential Fluid<sup>18</sup>

Protects heavily loaded, high-torque ATV and UTV gears and bearings against wear in the most severe operating conditions. Convenient easy-pack helps access tough-to-reach fill holes, making the job faster and cleaner.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AUDTQT	EA	1 Quart	13.09	17.49
AUDTQT	CA	12 Quarts	147.95	207.60
AUDTPK	EA	1 Quart Easy-Pack	14.79	19.69
AUDTPK	CA	12 Quart Easy-Packs	167.35	233.35

### ● Synthetic ATV/UTV Dual-Clutch Transmission Fluid

Provides superior anti-wear protection in the Can-Am Maverick® R dual-clutch transmission under heavily loaded, high-temperature operation.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AUDCTQT	EA	1 Quart	18.39	24.99
AUDCTQT	CA	12 Quarts	209.05	298.25

### ● Synthetic ATV/UTV Powertrain Fluid<sup>13</sup>

Purpose-built for transmission/differentials and front drives in Polaris® ATVs and UTVs, offering the perfect combination of protection and convenience.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AUPTPK	EA	1 Quart Easy-Pack	14.79	19.79
AUPTPK	CA	12 Quart Easy-Packs	168.30	234.30

### ATV/UTV Oil Change Kits

Contains everything needed to perform an oil change on most Polaris® (PK) and Can-Am® (CK) UTVs and ATVs. Call (715) 399-8324 (TECH) (Monday-Friday, 8 a.m. - 5 p.m. Central Time) or contact the AMSOIL Dealer listed on the back of your catalog (if one is listed) to determine the appropriate kit for your application.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
PK1	EA	1 kit	41.50	55.65
PK2	EA	1 kit	35.10	47.00
PK3	EA	1 kit	32.95	44.25
PK4	EA	1 kit	49.40	65.30
CK4	EA	1 kit	65.55	87.70
CK5	EA	1 kit	50.85	67.55
CK6	EA	1 kit	63.60	84.75



<sup>13</sup>, <sup>18</sup>See page 51 for Proposition 65 information for this product.



**● Formula 4-Stroke® Powersports Synthetic Motor Oil**

Specially formulated for four-stroke recreational motors, including ATVs and snowmobiles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AFFQT	EA	1 Quart	13.29	17.19
AFFQT	CA	12 Quarts	150.80	203.95



AFF



**SWAP  
MOTO**  
RACE SERIES



**SYNTHETIC DIRT BIKE OIL**

Delivers confidence in clutch feel, maximum horsepower and superior wear protection in all types of four-stroke dirt bikes.

**● 10W-40**

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DB40QT	EA	1 Quart	12.69	17.59
DB40QT	CA	12 Quarts	143.60	208.50

**● 10W-50**

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DB50QT	EA	1 Quart	14.19	19.59
DB50QT	CA	12 Quarts	161.15	232.60

**● 10W-60**

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DB60QT	EA	1 Quart	14.69	20.29
DB60QT	CA	12 Quarts	167.00	240.65

**● Synthetic Dirt Bike Transmission Fluid**

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DBTFQT	EA	1 Quart	11.29	15.79
DBTFQT	CA	12 Quarts	128.10	187.15

**SHOCK THERAPY®  
SUSPENSION FLUID**

Controls friction, heat, wear, foaming and scuffing in suspension components.

**● Lightweight #5<sup>13</sup>**

Use in applications that demand quick rebounds under extreme temperatures.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
STLQT	EA	1 Quart	15.09	19.39
STLQT	CA	12 Quarts	171.65	230.40

**● Medium #10<sup>13</sup>**


Use in applications that require more dampening and slower rebounds.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
STMQT	EA	1 Quart	15.19	19.39
STMQT	CA	12 Quarts	172.20	231.20



**AMSOIL delivers confident clutch feel.**

AMSOIL provides excellent clutch protection. How good is it? In extreme simulated-start testing, AMSOIL provided superior wear protection and kept clutch plates looking new.



\*Based on dynamometer testing of a Honda CRF450 dirt bike using AMSOIL 10W-40 Synthetic Dirt Bike Oil and a leading original equipment manufacturer 10W-40 conventional dirt bike oil.




<sup>13</sup>See page 51 for Proposition 65 information for this product.

## AMSOIL Resists Viscosity Breakdown

AMSOIL resists viscosity breakdown **6X better** than Harley-Davidson\* SYN3\* for **improved protection** against compensator and transmission gear wear.<sup>BB</sup>

### Viscosity Breakdown

% viscosity loss in the CEC L45-KRL, ASTM D445, test



<sup>BB</sup>Based on testing of AMSOIL 20W-50 Synthetic V-Twin Motorcycle Oil purchased on 3/19/19 and Harley-Davidson Screamin' Eagle SYN3 purchased on 3/19/19 in the CEC L45-KRL, ASTM D445 test. \*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.



## SYNTHETIC V-TWIN MOTORCYCLE OIL

### ● 20W-40

Superior synthetic formulation provides long service life and maximum protection against engine wear in Indian\* and Victory\* motorcycles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MVIQT	EA	1 Quart	12.79	16.69
MVIQT	CA	12 Quarts	145.50	197.45

### ● 20W-50

Superior synthetic formulation provides long service life and maximum protection against engine wear in Harley-Davidson,\* Buell\* and other motorcycle engines, primaries and transmissions.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MCVQT	EA	1 Quart	12.29	15.99
MCVQT	CA	12 Quarts	139.00	189.00
MCV1G	EA	1 Gallon	48.29	62.49
MCV1G	CA	4 Gallons	182.80	248.35

### ● SAE 60

Superior synthetic formulation provides long service life and maximum protection against engine wear in big-bore, air-cooled motorcycle engines, including Harley-Davidson Panhead, Shovelhead and Knucklehead.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MCSQT	EA	1 Quart	11.79	15.39
MCSQT	CA	12 Quarts	134.10	182.85

### ● 15W-60

Superior synthetic formulation provides long service life and maximum protection against engine wear in Indian and Victory motorcycles.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MSVQT	EA	1 Quart	14.99	19.99
MSVQT	CA	12 Quarts	170.40	237.25



MVT



### ● Synthetic V-Twin Transmission Fluid

Helps quiet V-twin transmission noise and enable smooth shifts.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MVTQT	EA	1 Quart	15.09	20.09
MVTQT	CA	12 Quarts	171.75	239.20

### ● Synthetic V-Twin Primary Fluid

Delivers consistent clutch feel and helps riders easily find neutral.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MVPQT	EA	1 Quart	12.69	17.09
MVPQT	CA	12 Quarts	144.40	202.85

MVP



HDCK

### V-Twin Oil Change Kits

Contains everything needed to perform an oil change on most Harley-Davidson\* motorcycles, including 20W-50 Synthetic V-Twin Motorcycle Oil, AMSOIL Motorcycle Oil Filter and O-ring.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
HDCK	EA	1 kit	64.45	86.75
HDBK	EA	1 kit	60.75	82.05
HDMC	EA	1 kit	75.85	102.25
HDMB	EA	1 kit	72.00	97.30

#### FITMENT INFO:

**HDCK, HDBK:** most 1999-2016 Harley-Davidson motorcycles (HDCK includes chrome filter; HDBK includes black filter)

**HDMC, HDMB:** most 2017-present Harley-Davidson motorcycles (HDMC includes chrome filter; HDMB includes black filter)



## SYNTHETIC METRIC MOTORCYCLE OIL

### ● 10W-30

Superior synthetic formulation provides long service life, smooth shifts and maximum protection against engine wear in Honda,\* Yamaha,\* Suzuki\* and Kawasaki\* motorcycles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MCTQT	EA	1 Quart	13.09	16.99
MCTQT	CA	12 Quarts	148.45	201.10

### ● 5W-40

Superior synthetic formulation provides long service life, smooth shifts and maximum protection against engine wear in BMW\* R 1250 GS\* and R 1300 GS,\* Aprilia,\* Benelli,\* Can-Am,\* Husqvarna,\* Moto Guzzi\* and other motorcycles specifying a 5W-40 viscosity.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MMFQT	EA	1 Quart	14.49	19.39
MMFQT	CA	12 Quarts	164.80	229.85

### ● 10W-40

Superior synthetic formulation provides long service life, smooth shifts and maximum protection against engine wear in Can-Am, Honda, Yamaha, Kawasaki, Triumph,\* Suzuki, BMW and other motorcycle engines.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MCFQT	EA	1 Quart	12.19	15.89
MCFQT	CA	12 Quarts	138.70	188.65
MCF1G	EA	1 Gallon	48.19	62.39
MCF1G	CA	4 Gallons	182.40	247.80

### ● 15W-50

Superior synthetic formulation provides long service life, smooth shifts and maximum protection against engine wear in Ducati,\* BMW, KTM,\* Yamaha, Triumph and Royal Enfield\* motorcycles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MFFQT	EA	1 Quart	14.49	19.39
MFFQT	CA	12 Quarts	164.80	229.85



## Formula 4-Stroke® Synthetic Scooter Oil<sup>13</sup>

Formulated specifically to meet the special needs of today's high-tech air- and water-cooled four-stroke motorized scooters.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASOQT	EA	1 Quart	10.89	14.29
ASOQT	CA	12 Quarts	123.55	169.15

<sup>13</sup>See page 51 for Proposition 65 information for this product.



Briggs & Stratton, the world's largest small-engine manufacturer, chose AMSOIL to formulate the motor oil it recommends to protect its most demanding racing engines. Imagine what AMSOIL can do for you.

**ACCEPT NO SUBSTITUTES.**



GBS2960



**Briggs & Stratton  
Synthetic 4T Racing Oil<sup>17</sup>**

Formulated by AMSOIL specifically for stock and modified small-displacement air-cooled racing engines and recommended for any four-stroke air-cooled competition engine.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GBS2960	EA	1 Quart	11.25	15.95
GBS2960	CA	12 Quarts	134.90	191.56

<sup>17</sup>See page 51 for Proposition 65 information for this product.



- Outboard • Inboard
- Inboard/Outboard (I/O) • Watercraft

## Synthetic Marine Engine Oil

Formulated specifically for use in four-stroke gasoline-fueled engines used in marine applications. Certified to meet NMMA FC-W Catalyst Compatible performance specifications.

### ● 10W-30<sup>13</sup>

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
WCTQT	EA	1 Quart	11.39	14.89
WCTQT	CA	12 Quarts	128.90	175.95
WCT1G	EA	1 Gallon	44.49	57.89
WCT1G	CA	4 Gallons	168.50	229.80

### ● 10W-40<sup>13</sup>

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
WCFQT	EA	1 Quart	12.39	16.09
WCFQT	CA	12 Quarts	140.05	190.20 <sup>23</sup>
WCF1G	EA	1 Gallon	48.39	62.59
WCF1G	CA	4 Gallons	183.15	248.55

### ● 25W-40 (Synthetic Blend)<sup>23</sup>

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
WCMQT	EA	1 Quart	9.59	12.99
WCMQT	CA	12 Quarts	109.10	153.90
WCM1G	EA	1 Gallon	37.49	49.59
WCM1G	CA	4 Gallons	142.05	196.30



## ● HP Marine™ Synthetic 2-Stroke Oil<sup>13</sup>

Prevents piston skirt scuffing, cylinder bore scuffing and ring sticking in all two-stroke outboard motors, personal watercraft and anywhere NMMA TC-W3 and API-TC oils are specified.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
HPMQT	EA	1 Quart	10.69	13.99
HPMQT	CA	12 Quarts	120.75	165.65
HPM1G	EA	1 Gallon	41.89	54.69
HPM1G	CA	4 Gallons	158.50	217.20



**Pete Maina**  
Pro Fisherman



## RUNS ON FREEDOM

Don't let powersports manufacturers bully you into buying their brand of oil. You have the freedom to choose your brand of oil and keep your warranty intact. Find out more at [AMSOIL.com/freedom](http://AMSOIL.com/freedom).

<sup>23</sup> See page 51 for Proposition 65 information for this product.

ATO



## ● Outboard 100:1 Pre-Mix Synthetic 2-Stroke Oil<sup>13</sup>

Contains a heavy dose of low-temperature dispersant additives that excel at reducing varnish and carbon deposit formation in water-cooled outboard motors.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATOBC	EA	(1) 8-oz. Bottle	5.09	6.69
ATOBC	CA	(12) 8-oz. Bottles	57.50	79.05
ATOQT	EA	1 Quart	14.79	19.09
ATOQT	CA	12 Quarts	168.05	226.35

OUTSTANDING PROTECTION FOR LOWER UNITS



## ● Universal Synthetic Marine Gear Lube<sup>18</sup>

Resists foam and retains extreme-pressure qualities in outboard lower units, stern drives, V-drives, bow and tunnel thrusters and marine transmissions. Delivers advanced outboard protection against power loss and gear wear, even with up to 15 percent water contamination.<sup>v</sup> Choose the easy-pack for fast, easy installation.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AGMTB	EA	(1) 10-oz. Tube	7.39	9.49
AGMTB	CA	(6) 10-oz. Tubes	41.55	56.80
AGMQT	EA	1 Quart	13.39	17.39
AGMQT	CA	12 Quarts	152.40	206.30
AGMPK	EA	1 Quart Easy-Pack	15.09	19.49
AGMPK	CA	12 Quart Easy-Packs	171.65	230.90



## Marine Gear Lube Pump<sup>27</sup>

Specifically designed to ease installation and reduce mess when servicing lower units.

STOCK #	P.C. PRICE	FULL PRICE
G3456	10.10	11.10



<sup>13, 18, 27</sup> See page 51 for Proposition 65 information for this product.

<sup>v</sup>Based upon AMSOIL testing of AMSOIL Synthetic Marine Gear Lube 75W-90 in ASTM 3233 and ASTM D892.



## Runs On Freedom™ Limited Snowmobile Warranty

Use AMSOIL INTERCEPTOR® Synthetic 2-Stroke Oil exclusively in your current-model-year or newer sled and we'll cover engine repairs in the unlikely event of any engine breakdown for up to two years/5,000 miles.\*

\*To get details and register, visit [AMSOIL.com/rof warranty](http://AMSOIL.com/rof warranty).



### ● Synthetic 2-Stroke Injector Oil<sup>13</sup>

High-quality, cost-effective oil for the severe operating conditions of two-stroke snowmobiles and outboard motors.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AIOQT	EA	1 Quart	9.79	13.19
AIOQT	CA	12 Quarts	110.65	156.15
AIO1G	EA	1 Gallon	38.49	51.79
AIO1G	CA	4 Gallons	145.85	205.55



### ● INTERCEPTOR® Synthetic 2-Stroke Oil<sup>13</sup>

Prevents piston skirt scuffing, ring sticking and exhaust power valve sticking in two-stroke snowmobiles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AITQT	EA	1 Quart	12.39	16.19
AITQT	CA	12 Quarts	140.80	191.30
AIT1G	EA	1 Gallon	48.89	63.29
AIT1G	CA	4 Gallons	185.20	251.35

Meets the performance requirements of Polaris\*, Arctic Cat\* and Ski-Doo\* two-stroke snowmobiles.

## AMSOIL Fights Wear

AMSOIL INTERCEPTOR® Synthetic 2-Stroke Oil delivered **outstanding wear protection and cleanliness** in a rental sled throughout 1,617 miles of abuse.<sup>CC</sup>

AMSOIL kept pistons virtually free of carbon with nearly all coating intact.



AMSOIL fought the formation of carbon deposits, allowing power valves to move freely.



<sup>CC</sup>Based upon use of a new 2019 Polaris® RMK® 850 as a rental sled at Grizzly Lodge December 2018 - February 2019. \*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.

<sup>13</sup> See page 51 for Proposition 65 information for this product.



TDR



**Anson Scheele**  
Team AMSOIL  
Scheuring Speed Sports



## ● DOMINATOR® Synthetic 2-Stroke Racing Oil<sup>13</sup>

Delivers outstanding wear protection in high-horsepower and modified racing or trail motors, including snowmobiles, motorcycles, ATVs, personal watercraft, go-carts and outboard motors.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
TDRQT	EA	1 Quart	13.39	17.29
TDRQT	CA	12 Quarts	151.30	204.80
TDR1G	EA	1 Gallon	52.59	67.79
TDR1G	CA	4 Gallons	199.20	269.35

**MAXIMUM**  
PERFORMANCE

## ● Synthetic Chaincase & Gear Oil

Superior protection for enclosed chains and gears found in snowmobiles, ATVs, UTVs and general equipment.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
TCCCN	EA	(1) 16-oz. Bottle	10.59	14.19
TCCCN	CA	(6) 16-oz. Bottles	60.05	84.20

TCC



## ● SABER® Professional Synthetic 2-Stroke Oil<sup>13</sup>

Provides superior protection for handheld two-stroke equipment at any mix ratio up to 100:1, offering the ultimate in convenience.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATPPK	EA	(1) 1.5-oz. Pillow Pack	1.39	1.89
ATPPK	CA	(48) 1.5-oz. Pillow Packs	59.95	88.55
ATPTS	EA	(1) 2.6-oz. Bottle	2.29	2.99
ATPTS	CA	(12) 2.6-oz. Bottles	25.20	35.20
ATPBA	EA	(1) 3.5-oz. Bottle	2.49	3.29
ATPBA	CA	(12) 3.5-oz. Bottles	27.85	38.95
ATPSF	EA	(1) 6.4-oz. Bottle	3.89	5.29
ATPSF	CA	(12) 6.4-oz. Bottles	44.35	62.20
ATPBC	EA	(1) 8-oz. Bottle	4.79	6.39
ATPBC	CA	(12) 8-oz. Bottles	54.35	74.95
ATPTE	EA	(1) 12.8-oz. Bottle	7.49	9.99
ATPTE	CA	(12) 12.8-oz. Bottles	84.80	117.90
ATPQT	EA	1 Quart	13.29	17.19
ATPQT	CA	12 Quarts	150.15	203.45
ATP1G	EA	1 Gallon	52.19	67.39
ATP1G	CA	4 Gallons	197.65	267.50

ATP



**SABER® Ratio™**  
100:1...1.3 oz. ....1 GAL

<sup>13</sup>See page 51 for Proposition 65 information for this product.

## SABER Professional Fights Carbon

Equipment using SABER Professional was **96% carbon-free<sup>N</sup>**.



AMSOIL SABER Professional  
300 Hours  
3.8% Screen Blockage

VS.



Leading Oil Brand  
45 Hours  
98% Screen Blockage

<sup>N</sup>Based on spark-arrester testing.

AES



## Synthetic Small-Engine Oil

Helps preserve engine power, reduce oil consumption and reduce maintenance in small engines used in severe service.

Riding and Push Lawnmowers • Snowblowers • Generators • Pumps • Welders • Skid-Steers • Compressors • and more

### ○ 5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AESQT	EA	1 Quart	9.49	12.59
AESQT	CA	12 Quarts	107.15	148.10

### ● 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASEQT	EA	1 Quart	9.49	12.59
ASEQT	CA	12 Quarts	107.15	148.15
ASE1G	EA	1 Gallon	37.09	48.89
ASE1G	CA	4 Gallons	140.35	193.80

### ● 10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASFQT	EA	1 Quart	9.99	13.29
ASFQT	CA	12 Quarts	113.60	156.35
ASF1G	EA	1 Gallon	39.29	51.69
ASF1G	CA	4 Gallons	148.90	204.80

### ● 15W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SEFQT	EA	1 Quart	9.39	12.49
SEFQT	CA	12 Quarts	106.05	146.85

ASE



ASF



SEF



AHF



### ● 20W-50 Zero-Turn Synthetic Hydrostatic Transmission Fluid<sup>13</sup>

Fights wear to deliver smooth control and responsive power in zero-turn hydrostatic mowers.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AHFQT	EA	1 Quart	11.99	15.59
AHFQT	CA	12 Quarts	135.45	184.55
AHF1G	EA	1 Gallon	46.99	61.09
AHF1G	CA	4 Gallons	178.10	242.35

<sup>13</sup>See page 51 for Proposition 65 information for this product.

## Signature Series Synthetic Automatic Transmission Fluid

Resists wear and provides smooth shifts in passenger-car/light-truck transmissions. Provides reserve protection in fleet vehicles, work trucks and other severe-service applications that quickly break down other lubricants.

## Handle More Heat With Confidence

### Standard Severe Service

## AMSOIL Severe Service

RESERVE PROTECTION

Change Interval—Miles



### ● Ultra-Low-Viscosity

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ULVPK	EA	1 Quart Easy-Pack	17.09	21.69
ULVPK	CA	12 Quart Easy-Packs	193.60	258.50
ULV1G	EA	1 Gallon	57.49	73.59
ULV1G	CA	4 Gallons	217.85	292.60

### ● Fuel-Efficient<sup>37</sup>

Engineered to exceed the requirements of original equipment manufacturers (OEMs) specifying low-viscosity oil.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATLQT	EA	1 Quart	14.59	18.69
ATLQT	CA	12 Quarts	165.45	222.50
ATLPK	EA	1 Quart Easy-Pack	17.09	21.69
ATLPK	CA	12 Quart Easy-Packs	193.75	258.75
ATL1G	EA	1 Gallon	57.59	73.69
ATL1G	CA	4 Gallons	218.05	292.95
ATLTP	EA	(1) 2.5 Gallon	142.70	180.10
ATLTP	CA	(2) 2.5 Gallons	270.45	358.20

### ● Multi-Vehicle<sup>37</sup>

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATFQT	EA	1 Quart	14.59	18.69
ATFQT	CA	12 Quarts	165.30	222.40
ATFPK	EA	1 Quart Easy-Pack	17.09	21.69
ATFPK	CA	12 Quart Easy-Packs	193.60	258.65
ATF1G	EA	1 Gallon	57.49	73.59
ATF1G	CA	4 Gallons	217.85	292.80
ATFTP	EA	(1) 2.5 Gallon	142.55	180.10
ATFTP	CA	(2) 2.5 Gallons	270.20	358.10

<sup>37</sup>See page 51 for Proposition 65 information for this product.

OTL



## OE Synthetic Automatic Transmission Fluid

Resists wear and provides smooth shifts in passenger-car/light-truck transmissions.

### ● Fuel-Efficient<sup>13</sup>

Engineered to exceed the requirements of original equipment manufacturers (OEMs) specifying low-viscosity oil.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OTLQT	EA	1 Quart	9.39	12.39
OTLQT	CA	12 Quarts	106.90	147.75
OTL1G	EA	1 Gallon	37.19	49.09
OTL1G	CA	4 Gallons	140.85	194.30
OTLTP	EA	(1) 2.5 Gallon	91.75	119.45
OTLTP	CA	(2) 2.5 Gallons	173.90	236.80

OTF



### ● Multi-Vehicle<sup>13</sup>

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OTFQT	EA	1 Quart	9.39	12.49
OTFQT	CA	12 Quarts	106.75	147.55
OTF1G	EA	1 Gallon	37.09	48.99
OTF1G	CA	4 Gallons	140.65	194.10
OTFTP	EA	(1) 2.5 Gallon	91.65	119.30
OTFTP	CA	(2) 2.5 Gallons	173.70	236.50

CVT



## Synthetic CVT Fluid<sup>13</sup>

Provides outstanding protection and performance for continuously variable transmissions (CVT) throughout original equipment manufacturer (OEM)-recommended drain intervals.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
CVTQT	EA	1 Quart	13.39	17.89
CVTQT	CA	12 Quarts	151.45	211.95
CVT1G	EA	1 Gallon	52.59	70.19
CVT1G	CA	4 Gallons	199.35	278.75

<sup>13</sup>See page 51 for Proposition 65 information for this product.

DCT



## 100% Synthetic DCT Fluid

Designed to protect high-tech dual-clutch transmissions during the most intense, high-heat operating conditions.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DCTQT	EA	1 Quart	20.79	28.09
DCTQT	CA	12 Quarts	236.30	335.65

MTG



## Synthetic Manual Transmission and Transaxle Gear Lube<sup>15</sup>

Provides improved internal component protection. Formulated with extreme-pressure additives and advanced frictional qualities that provide smooth shifts while protecting gears, bearings and seals. Non-corrosive to yellow metals.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MTGQT	EA	1 Quart	17.49	22.19
MTGQT	CA	12 Quarts	198.45	264.85
MTGPK	EA	1 Quart Easy-Pack	19.09	24.19
MTGPK	CA	12 Quart Easy-Packs	217.10	288.70

MTF



## Synthetic Synchronesh Transmission Fluid

Specifically designed to deliver smooth shifts and superior wear protection in manual transmissions and transaxles with synchronizers.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MTFQT	EA	1 Quart	15.79	20.19
MTFQT	CA	12 Quarts	178.65	239.75

<sup>15</sup>See page 51 for Proposition 65 information for this product.

ART



## Super Shift® Racing Transmission Fluid<sup>17</sup>

Formulated to prevent slippage and reduce heat in high-performance, high-horsepower vehicles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ARTQT	EA	1 Quart	13.89	17.89
ARTQT	CA	12 Quarts	157.40	212.45

ATD



## Torque-Drive® Synthetic Heavy-Duty Automatic Transmission Fluid<sup>31</sup>

Premium fluid designed for use in both on- and off-highway heavy-duty equipment.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATD1G	EA	1 Gallon	52.29	67.29
ATD1G	CA	4 Gallons	198.05	267.40
ATDTP	EA	(1) 2.5 Gallon	129.50	164.40
ATDTP	CA	(2) 2.5 Gallons	245.45	326.80

ATH



## Synthetic Tractor/Hydraulic Transmission Oil<sup>13</sup>

Formulated for combinations of transmissions, hydraulic systems, final drives, power take-off systems and wet brakes in heavy-duty farm and industrial equipment as well as commercial and residential lawn tractors.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATHQT	EA	1 Quart	11.39	14.99
ATHQT	CA	12 Quarts	129.50	176.85

<sup>17, 31, 13</sup>See page 51 for Proposition 65 information for this product.



SVL

## SEVERE GEAR® Synthetic EP Gear Lube

Specifically engineered for high-demand applications, including trailer towing, heavy hauling, 4x4 off-road driving, commercial use and racing.

### ● 75W-85

Top fuel efficiency and cold-temperature performance

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SVLPK	EA	1 Quart Easy-Pack	17.29	22.09
SVLPK	CA	12 Quart Easy-Packs	196.45	262.45

### ● 75W-90

Outstanding fuel efficiency and cold-temperature performance

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SVGQT	EA	1 Quart	17.29	22.09
SVGQT	CA	12 Quarts	196.45	262.45
SVGPK	EA	1 Quart Easy-Pack	17.29	22.09
SVGPK	CA	12 Quart Easy-Packs	196.45	262.45

### ● 80W-90<sup>13</sup>

Excellent extreme-pressure performance and wear protection

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AGLQT	EA	1 Quart	13.09	16.89
AGLQT	CA	12 Quarts	148.20	200.85
AGLPK	EA	1 Quart Easy-Pack	14.69	18.89
AGLPK	CA	12 Quart Easy-Packs	166.65	224.45

### ● 75W-110

Extra viscosity protection without sacrificing fuel efficiency

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SVTQT	EA	1 Quart	17.49	22.29
SVTQT	CA	12 Quarts	198.30	264.85
SVTPK	EA	1 Quart Easy-Pack	19.19	24.39
SVTPK	CA	12 Quart Easy-Packs	217.85	289.85

### ● 75W-140

Maximum viscosity protection for severe-duty applications

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SVOQT	EA	1 Quart	18.99	24.19
SVOQT	CA	12 Quarts	216.00	287.50
SVOPK	EA	1 Quart Easy-Pack	18.99	24.19
SVOPK	CA	12 Quart Easy-Packs	216.00	287.50

Whoever invented the easy-pack concept is a genius. Especially for servicing transfer cases and differentials. It lives up to its name. Not only an innovative oil, but innovative packaging as well.

— Joey  
Calif.



SVG

AGL



SVT

SVO

<sup>13</sup>See page 51 for Proposition 65 information for this product.

SRT



FGR



## SEVERE GEAR® SAE 250 EP Synthetic Racing Gear Lube<sup>28</sup>

Engineered specifically for the demands of severe racing conditions, including off-road truck racing, rock racing, rock crawling, tractor pulling, funny car racing and dragster racing applications.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SRTQT	EA	1 Quart	18.19	23.09
SRTQT	CA	12 Quarts	206.05	274.95

## 75W-90 Long Life Synthetic Gear Lube<sup>13</sup>

Specifically engineered for extended drain intervals up to 500,000 miles as set by equipment manufacturers for over-the-road trucks and heavy equipment.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FGRQT	EA	1 Quart	14.19	18.29
FGRQT	CA	12 Quarts	160.95	217.25
FGR1G	EA	1 Gallon	56.09	72.09
FGR1G	CA	4 Gallons	212.50	286.55

ADA



## Slip Lock® Differential Additive<sup>21</sup>

Designed to eliminate gear-housing chatter in cars, trucks and SUVs equipped with limited-slip differentials.

**Note:** AMSOIL synthetic gear lubes do not require the use of this additive. However, not all differentials respond the same and if chatter is noticed, the addition of AMSOIL Slip Lock will eliminate it.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADATB	EA	(1) 4-oz. Tube	9.09	11.49
ADATB	CA	(12) 4-oz. Tubes	102.95	136.40

## Easy Installation

PRODUCT	STOCK#	P.C. PRICE	FULL PRICE
Hand Pump	G2039	10.50	11.55
FloTool Flexible Pour Spout	G3721	4.20	4.65



G2039

G3721




<sup>28</sup>, <sup>13</sup>, <sup>21</sup> See page 51 for Proposition 65 information for this product.



## 99% Efficiency at 20 Microns

Filtering particles >20 microns fights engine wear.<sup>AA</sup>



<sup>AA</sup>In accordance with industry-standard ISO SO 4548-12.



## Oil Filters

AMSOIL Oil Filters rank among the highest efficiency filters available to the auto/light-truck and powersports markets, providing a filtering efficiency of 99 percent at 20 microns. Featuring advanced full-synthetic technology, AMSOIL Oil Filters provide greater efficiency, capacity and durability than cellulose filters, extending engine and filter life and reducing engine wear.

- Oil Filters designated with product code EA15K are recommended for 15,000 miles/one year, whichever comes first, in normal or severe service. NOTE: Change oil filter at every oil change.
- Oil Filters designated with product code EAO are recommended for 25,000 miles/one year, whichever comes first, in normal service or 15,000 miles/one year, whichever comes first, in severe service. NOTE: Change oil filter at every oil change.

STOCK#	UNITS	P.C. PRICE	FULL PRICE	STOCK#	UNITS	P.C. PRICE	FULL PRICE
EA15K01	EA	19.70	24.95	EA15K32	EA	13.40	17.25
EA15K02	EA	16.15	20.45	EA034	EA	15.45	19.80
EA15K03	EA	12.95	16.40	EA15K35	EA	19.35	24.45
EA15K04	EA	15.30	19.45	EA15K37	EA	19.20	24.65
EA15K05	EA	10.90	13.80	EA15K38	EA	8.40	10.60
EA15K06	EA	20.05	25.40	EA15K39	EA	24.45	31.15
EA15K07	EA	9.80	12.45	EA042	EA	19.05	24.40
EA15K08	EA	19.95	25.35	EA15K43	EA	19.80	25.05
EA15K09	EA	11.15	14.40	EA15K49	EA	28.05	35.80
EA011	EA	18.05	23.10	EA15K50	EA	13.90	17.90
EA15K12	EA	11.65	14.90	EA15K51	EA	15.20	19.55
EA15K13	EA	11.40	14.65	EA052	EA	22.95	29.35
EA015	EA	19.10	24.60	EA15K53	EA	15.00	19.30
EA15K16	EA	19.15	24.30	EA15K54	EA	21.70	27.70
EA017	EA	14.80	19.05	EA055	EA	34.35	43.50
EA15K19	EA	17.15	22.05	EA059	EA	19.80	25.35
EA15K20	EA	12.80	16.45	EA064	EA	14.20	18.20
EA023	EA	14.95	19.20	EA080	EA	18.90	24.35
EA024	EA	20.60	26.45	EA15K88	EA	28.45	35.90
EA026	EA	25.70	32.85	EA098	EA	27.65	35.45
EA15K28	EA	20.05	25.65	EA099	EA	40.15	51.30
EA15K29	EA	13.40	17.25				

### Which filter do I need?

Check the product guides at [AMSOIL.com](http://AMSOIL.com), call 1-800-777-7094 (Monday-Friday, 7 a.m. - 7 p.m. Central Time) or contact the AMSOIL Dealer listed on the back of your catalog (if one is listed) to determine the appropriate filter for each application. When AMSOIL Oil Filters are used with a motor oil other than AMSOIL motor oil the filter should be changed according to the vehicle manufacturer recommendation.

Fill in your vehicle information. Then call 1-800-777-7094 (Monday - Friday, 7 a.m. - 7 p.m. Central Time). You may also contact the AMSOIL Dealer listed on the back of your catalog (if one is listed) to determine your appropriate oil and air filters.

Make \_\_\_\_\_ Year \_\_\_\_\_ Model \_\_\_\_\_ Engine \_\_\_\_\_

VIN \_\_\_\_\_

Your Oil Filter is \_\_\_\_\_

Your Air Filter is \_\_\_\_\_



PROTECTION | PERFORMANCE  
you demand. | you deserve.™

## More Premium Filters

AMSOIL offers a variety of specialty oil filters constructed with premium synthetic technology. Check the Product Guides at [AMSOIL.com](http://AMSOIL.com) or call (715) 399-8324 (TECH) (Monday-Friday, 8 a.m. - 5 p.m. Central Time) for application information.



### Heavy-Duty Extended-Life Oil Filters

Provide excellent 99 percent filtering efficiency at 20 microns and high contaminant capacity for heavy-duty on- and off-road diesel and gasoline applications. Provide extended service intervals that coincide with the maximum drain intervals of AMSOIL synthetic engine oils.

STOCK#	UNITS	P.C. PRICE	FULL PRICE
EAHD2160	EA	46.90	60.40
EAHD3000	EA	46.30	59.90
EAHD3191	EA	40.40	52.10
EAHD4005	EA	58.35	75.70
EAHD9000	EA	87.25	111.65



### Bypass Filtration

High-efficiency bypass filters effectively remove minute dirt particles and soot by working in conjunction with the engine's full-flow oil filter.

#### BYPASS OIL FILTRATION SYSTEMS

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
BMK21	EA	(1) Single-Remote Bypass Kit	297.00	370.00
BMK22	EA	(1) DUAL-GARD Bypass Kit	318.35	398.00
BMK23	EA	(1) Universal Dual-Remote Bypass System	307.50	385.00
BMK26	EA	(1) Ford 7.3L Dual-Remote Bypass System	390.70	491.00
BMK27	EA	(1) 2001-2019 GM 6.6L Dual-Remote Bypass System	390.70	490.00
BMK28	EA	(1) Ford 6.7L Dual-Remote Bypass System	391.35	491.00
BMK30	EA	(1) Heavy-Duty Bypass Kit	330.45	415.00
BMK31	EA	(1) Ford 6.0/6.4L Single-Remote Bypass System	485.25	604.00
BMK32	EA	(1) 2001-2016 GM 6.6L Single-Remote Bypass System	465.90	580.00
BMK33	EA	(1) Ford 6.7L Single-Remote Bypass System	465.90	580.00
BMK34	EA	(1) 2004-current Cummins 5.0L/5.9L/6.7L Single-Remote Bypass System	372.10	464.00



#### BYPASS OIL FILTERS

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EABP90	EA	(1) 6" Filter	45.50	57.30
EABP100	EA	(1) 7.5" Filter	47.15	59.40
EABP110	EA	(1) 10.5" Filter	58.80	74.00
EABP120	EA	(1) Heavy-Duty Filter for BMK30	61.65	78.40

### Motorcycle Oil Filters

High-efficiency filters available for the motorcycle and powersports market. Provide excellent 99 percent filtering efficiency at 20 microns. Available in black or chrome (as available).



STOCK#	UNITS	P.C. PRICE	FULL PRICE
EAOM103	EA	13.10	16.35
EAOM103C	EA	19.45	24.10
EAOM109	EA	17.90	22.20
EAOM134	EA	11.95	15.05
EAOM134C	EA	23.15	28.80
EAOM135	EA	10.45	13.20
EAOM135C	EA	23.10	28.85

GRG



## DOMINATOR® Synthetic Racing Grease<sup>21</sup>

High-performance bearing and chassis lubrication for all race applications on snow, dirt, water and track. Designed for bearings that operate under high-speed, high-heat or low-temperature conditions.

Use in applications that require NLGI No. 2

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GRGCR	EA	(1) 14-oz. Cartridge	13.79	18.59
GRGCR	CA	(10) 14-oz. Cartridges	134.60	180.60

## Synthetic Polymeric Off-Road Grease

Extreme-pressure, moly-fortified grease that provides outstanding protection for heavy-load-bearing applications, including steering knuckles, spring shackles, heavy equipment pivot joints and other components operating in high-load, low-speed conditions.

### ● Synthetic Polymeric Off-Road Grease<sup>36</sup>

Use in applications that require NLGI No. 1, 5% Moly

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GPOR1CR	EA	(1) 15-oz. Cartridge	10.59	14.39
GPOR1CR	CA	(10) 15-oz. Cartridges	104.50	138.20

### ● Synthetic Polymeric Off-Road Grease<sup>36</sup>

Use in applications that require NLGI No. 2, 5% Moly

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GPOR2CR	EA	(1) 15-oz. Cartridge	11.09	15.09
GPOR2CR	CA	(10) 15-oz. Cartridges	109.20	144.25

GPOR1



GPOR2



## Synthetic Polymeric Truck, Chassis and Equipment Grease

Delivers excellent wear protection and performance in severe-service, extreme-pressure environments such as axle assemblies, U-joints, pivot pins, fifth-wheel plates, steering linkages, kingpins, water pump bearings, ball joints and other greasable bearings and chassis components.

### ● Synthetic Polymeric Truck, Chassis and Equipment Grease<sup>35</sup>

Use in applications that require NLGI No. 1

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GPTR1CR	EA	(1) 14-oz. Cartridge	8.99	12.39
GPTR1CR	CA	(10) 14-oz. Cartridges	89.10	118.50

### ● Synthetic Polymeric Truck, Chassis and Equipment Grease<sup>35</sup>

Use in applications that require NLGI No. 2

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GPTR2CR	EA	(1) 14-oz. Cartridge	9.69	13.29
GPTR2CR	CA	(10) 14-oz. Cartridges	95.75	127.00

GPTR1



GPTR2



21, 36, 35 See page 51 for Proposition 65 information for this product.

GLC



## Synthetic Multi-Purpose Grease<sup>17</sup>

Delivers premium wear protection for bearings, bushings, chassis lubrication and other applications.

*Use in applications that require NLGI No. 2*

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GLCCR	EA	(1) 14-oz. Cartridge	9.09	12.49
GLCCR	CA	(10) 14-oz. Cartridges	87.70	119.25

GWR



## Synthetic Water-Resistant Grease

Provides outstanding water-washout and spray-off resistance for applications frequently exposed to water, mud, snow or ice.

*Use in applications that require NLGI No. 2*

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GWRCR	EA	(1) 14-oz. Cartridge	8.89	12.19
GWRCR	CA	(10) 14-oz. Cartridges	85.30	116.10

GXC



## X-Treme Synthetic Food Grade Grease

Designed for high levels of protection in food and pharmaceutical industry equipment. NSF-approved formula (formerly USDA H-1) for incidental contact with food.

*Use in applications that require NLGI No. 2*

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GXCCR	EA	(1) 14-oz. Cartridge	11.29	15.29
GXCCR	CA	(10) 14-oz. Cartridges	109.45	147.70

<sup>17</sup>See page 51 for Proposition 65 information for this product.

GSP



## Spray Grease

Applies quickly and evenly and is ideal for greasing hard-to-reach equipment, including hinges, springs, industrial chains, latches, slides, winches and other common applications.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GSPSC	EA	(1) 10-oz. Spray Can	9.29	11.79
GSPSC	CA	(12) 10-oz. Spray Cans	104.90	139.60

AIR



## Synthetic Air Tool Oil<sup>13</sup>

Effectively lubricates rotary and piston-type air-tool bearings and motors, while managing moisture and conditioning rubber and plastic seals and O-rings.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AIRBA	EA	(1) 4-oz. Bottle	3.99	5.29
AIRBA	CA	(12) 4-oz. Bottles	45.45	62.00

ABC



## Semi-Synthetic Bar and Chain Oil<sup>17</sup>

Delivers excellent lubrication and protection, helping extend the life of bar and chain applications.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ABCQT	EA	1 Quart	6.59	8.99
ABCQT	CA	12 Quarts	74.10	105.95
ABC1G	EA	1 Gallon	25.59	34.99
ABC1G	CA	4 Gallons	96.70	138.10

<sup>13, 17</sup>See page 51 for Proposition 65 information for this product.

PCI



## Synthetic Compressor Oil

Superior protection for rotary screw, rotary vane, reciprocating and other compressor applications.

### ● ISO 46, SAE 20<sup>13</sup>

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
PCIQT	EA	1 Quart	13.29	17.19
PCIQT	CA	12 Quarts	150.50	203.60

### ● ISO 100, SAE 30/40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
PCKQT	EA	1 Quart	14.29	18.39
PCKQT	CA	12 Quarts	161.95	218.35

AST



## Gasoline Stabilizer<sup>13</sup>

Helps prevent the formation of varnish and sludge in stored seasonal equipment such as snowmobiles, lawnmowers, motorcycles and boats. One ounce treats 2.5 gallons of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASTCN	EA	(1) 16-oz. Bottle	11.69	15.09
ASTCN	CA	(6) 16-oz. Bottles	66.30	89.90

## AMSOIL Fights Corrosion

AMSOIL provides corrosion protection Sea Foam<sup>®</sup> Motor Treatment can't match, helping maintain power and performance and keeping metal corrosion free, even when subjected to salt water.<sup>4</sup>

AMSOIL

Sea Foam



<sup>4</sup>Based on independent third-party testing of AMSOIL Gasoline Stabilizer obtained July 1, 2022, and Sea Foam Motor Treatment purchased June 30, 2022, in a modified NACE TM0172 using synthetic sea water per ASTM D665B.

<sup>13</sup>See page 51 for Proposition 65 information for this product.


UCL



## Upper Cylinder Lubricant Gasoline Additive<sup>13</sup>

Lubricates fuel system and upper cylinders. Fights ethanol-related corrosion. Helps keep injectors clean. Bottle compatible with capless fuel systems. Use entire bottle at every fill-up.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
UCLCN	EA	(1) 6-oz. Bottle	4.49	5.79
UCLCN	CA	(12) 6-oz. Bottles	50.45	69.05



## Preserves Horsepower and Performance

AMSOIL delivers 18 percent more lubricity than Lucas<sup>®</sup> and 20 percent more than Sea Foam<sup>®</sup> for better retention of horsepower and fuel economy.<sup>R</sup>

<sup>R</sup>Based on independent testing of AMSOIL Upper Cylinder Lubricant, Lucas Upper Cylinder Lubricant and Sea Foam Motor Treatment obtained on 02/13/2019 using the ASTM D6079 modified for use with gasoline. <sup>A</sup>All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.

**INDUSTRY'S MOST  
ADVANCED**  
FORMULATION



API


## P.i.<sup>® 13</sup>

Restores up to 14 percent horsepower.<sup>NN</sup> Bottle compatible with capless fuel systems. Add entire bottle to tank at fill-up.


STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
APICN	EA	(1) 12-oz. Bottle	12.99	16.69
APICN	CA	(12) 12-oz. Bottles	147.75	198.30

## AMSOIL Restores Horsepower

AMSOIL P.i.<sup>®</sup> restores up to 14% horsepower.<sup>NN</sup>



<sup>NN</sup>Based on third-party testing in a 2016 Chevrolet® Silverado® 1500, 5.3L V-8 GDI with 100,616 miles, using one tank treated with AMSOIL P.i. Actual results may vary. \*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.



**Injector before  
P.i. treatment.**



**Injector after one  
P.i. treatment.**



**Cylinder head  
before P.i.  
treatment.**



**Cylinder head  
after one P.i.  
treatment.**

<sup>13</sup>See page 51 for Proposition 65 information for this product.



**Addresses Ethanol-Related Performance issues**

**DIRECTIONS:** One bottle treats up to 6 gallons for cleanup and up to 12 gallons for continued protection. For best results use with every tank.

**Quickshot®**

Effectively addresses performance issues related to ethanol, water and dirty pump gas in two- and four-stroke gasoline-powered engines and powersports equipment fuel systems, restoring peak performance.

**Motorcycles • Snowmobiles • Boats • ATVs • Edgers • Tillers • Mowers • Snowblowers • Chainsaws • Generators • Farm & Construction Equipment • and more**

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AQSCN	EA	(1) 8-oz. Bottle	9.19	11.89
AQSCN	CA	(6) 8-oz. Bottles	52.20	70.85
AQSQT	EA	1 Quart	30.59	38.19
AQSQT	CA	12 Quarts	347.15	455.55



**Phase separation is when ethanol/water mixtures fall to the bottom of fuel tanks and containers, leading to lean-burn conditions.**

**Quickshot helps keep water molecules dispersed to prevent phase separation.**

Degraded fuel can present a major maintenance issue in motorcycle engines, forming varnish, gum and insoluble debris that clog carburetors, fuel injectors and fuel filters. Carbon buildup can form on the tops of pistons resulting in pre-ignition, rough idling and poor throttle response. Fuel-related problems are only expected to intensify in the coming years as the ethanol content in pump gasoline continues to increase.

AMSOIL Quickshot® (AQS) is a premium fuel additive formulated to thoroughly clean and restore peak performance in motorcycle and powersports equipment fuel systems. It also stabilizes fuel between uses and during short-term storage periods.





MOB



AOB

## DOMINATOR® Octane Boost<sup>21</sup>

Improves the performance of all two- and four-stroke gasoline-fueled engines. Treats up to 15 gallons of gasoline.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AOBBE	EA	(1) 12-oz. Bottle	9.89	12.39
AOBBE	CA	(6) 12-oz. Bottles	55.75	73.60

## Motorcycle Octane Boost<sup>21</sup>

Increases octane up to three numbers for maximum power and efficiency in motorcycles. Treats 4-6 gallons of gasoline.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MOBCN	EA	(1) 4-oz. Bottle	4.79	5.99
MOBCN	CA	(12) 4-oz. Bottles	54.15	71.10



DRC



ADD

## Diesel Recovery<sup>38</sup>

Emergency diesel fuel treatment that liquefies gelled diesel fuel and thaws frozen fuel filters. Keep a bottle on hand for emergencies. One ounce treats up to 1 gallon of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DRCQT	EA	(1) 30-oz. Bottle	12.39	16.09
DRCQT	CA	(12) 30-oz. Bottles	140.85	190.85

## Diesel Cold Flow<sup>38</sup>

Effectively modifies wax crystal formation at low temperatures to depress diesel fuel pour point, prevent wax settling and improve cold-flow filtration properties. Lowers cold filter-plugging point (CFPP) by up to 40°F (22°C) in ultra-low-sulfur diesel (ULSD). One ounce treats up to 5 gallons of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADDCN	EA	(1) 16-oz. Bottle	8.89	11.69
ADDCN	CA	(12) 16-oz. Bottles	100.75	138.10



ACB

## Diesel Cetane Boost

Raises the cetane number of diesel fuel up to eight points for maximum horsepower, increased fuel economy and easier starts in all diesel engines. Diesel engines operate best on fuel with cetane values of 50 or higher. Most diesel fuel sold in North America has a cetane value of 40-45. One ounce treats up to 10 gallons of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ACBCN	EA	(1) 16-oz. Bottle	9.29	12.19
ACBCN	CA	(12) 16-oz. Bottles	105.65	145.00
ACBHG	EA	(1) 64-oz. Bottle	31.59	40.69
ACBHG	CA	(6) 64-oz. Bottles	179.60	242.10

<sup>21, 38</sup>See page 51 for Proposition 65 information for this product.

ADB



## Diesel All-In-One<sup>38</sup>

Combines the superior deposit-removing properties of Diesel Injector Clean, the excellent anti-gelling properties of Diesel Cold Flow and the cetane-boosting benefits of Diesel Cetane Boost in one convenient package. One ounce treats up to 2.5 gallons of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADBPCN	EA	(1) 8-oz. Bottle	6.29	8.29
ADBPCN	CA	(6) 8-oz. Bottles	35.55	49.15
ADBCN	EA	(1) 16-oz. Bottle	10.59	13.79
ADBCN	CA	(12) 16-oz. Bottles	119.95	163.30
ADBHG	EA	(1) 64-oz. Bottle	37.59	47.79
ADBHG	CA	(6) 64-oz. Bottles	213.40	284.65

ADS



## Diesel Injector Clean + Cetane Boost<sup>21</sup>

Combines the superior deposit-removing properties of Diesel Injector Clean with the cetane-boosting benefits of Diesel Cetane Boost in one convenient package. One ounce treats up to 5 gallons of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADSPCN	EA	(1) 8-oz. Bottle	5.39	6.99
ADSPCN	CA	(6) 8-oz. Bottles	30.15	41.40
ADSCN	EA	(1) 16-oz. Bottle	12.49	16.09
ADSCN	CA	(12) 16-oz. Bottles	141.30	191.40
ADSHG	EA	(1) 64-oz. Bottle	42.09	53.29
ADSHG	CA	(6) 64-oz. Bottles	239.40	318.10

ADF

**UP TO 8%  
FUEL ECONOMY IMPROVEMENT**



## Diesel Injector Clean<sup>19</sup>

Targets traditional nozzle deposits, combustion chamber deposits and internal diesel injector deposits found in HPCR injectors. Lubricates to reduce fuel pump and injector wear. Concentrated for rapid results, maximum horsepower and up to 8 percent increased fuel economy in engines with accumulated deposits. One ounce treats up to 5 gallons of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADFCN	EA	(1) 8-oz. Bottle	4.99	6.69
ADFCN	CA	(6) 8-oz. Bottles	28.25	39.50
ADFCN	EA	(1) 16-oz. Bottle	8.29	10.89
ADFCN	CA	(12) 16-oz. Bottles	93.70	128.90
ADFHG	EA	(1) 64-oz. Bottle	28.39	36.49
ADFHG	CA	(6) 64-oz. Bottles	160.95	217.30

38, 21, 19 See page 51 for Proposition 65 information for this product.

ACL



## Chain Lube

Provides outstanding protection against wear and corrosion. Helps extend chain life. Does not attract dirt and does not fling off. Fast-drying.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ACL4SC	EA	(1) 4.5-oz. Spray Can	6.29	8.19
ACL4SC	CA	(12) 4.5-oz. Spray Cans	71.35	96.20
ACLSC	EA	(1) 11-oz. Spray Can	11.89	15.29
ACLSC	CA	(6) 11-oz. Spray Cans	67.30	91.20

FOG



## Engine Fogging Oil<sup>13</sup>

Helps prevent corrosion and dry starts to internal engine components found in outboard motors, lawn and garden equipment, motorcycles, snowmobiles, ATVs, motor homes and generators during storage or long periods of inactivity.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FOGSC	EA	(1) 12-oz. Aerosol Can	9.69	12.29
FOGSC	CA	(12) 12-oz. Aerosol Cans	109.65	145.70

APF



## Power Foam<sup>®21</sup>

Improves starting and performance by cleaning dirty intake systems and spark plugs, freeing sticky valves and removing gum, varnish and carbon deposits.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
APFSC	EA	(1) 18-oz. Spray Can	9.79	12.69
APFSC	CA	(12) 18-oz. Spray Cans	111.45	150.70

ADG



## Heavy-Duty Degreaser

Formulated with powerful and fast-acting solvents, attacking petroleum-based grime on a molecular level to loosen its hold on metal, concrete and other surfaces.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADGSC	EA	(1) 15-oz. Spray Can	12.69	16.09
ADGSC	CA	(12) 15-oz. Spray Cans	144.35	191.45

<sup>13</sup> See page 51 for Proposition 65 information for this product.



## Silicone Spray<sup>13</sup>


Perfect for lubricating or protecting rubber, nylon, plastics, upholstery, vinyl, wood, cardboard or fiberglass. Also excellent for waterproofing leather products. Hundreds of household uses.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ALSSP	EA	(1) 10-oz. Spray Can	9.19	11.69
ALSSP	CA	(12) 10-oz. Spray Cans	104.00	138.45

## Mudslinger®

Provides a protective layer of armor against the accumulation of mud, dirt and snow on ATVs, UTVs and dirt bikes, easing clean-up.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMSSC	EA	(1) 12-oz. Spray Can	9.99	12.79
AMSSC	CA	(12) 12-oz. Spray Cans	113.60	152.15



**Mudslinger makes an old machine look new again.**

## Engine Degreaser

Effectively cleans engine surfaces by cutting through grease, oil and grime, making engines look new again.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AEDSC	EA	(1) 15-oz. Spray Can	8.19	10.49
AEDSC	CA	(12) 15-oz. Spray Cans	92.75	124.10

## Glass Cleaner

Cuts through grease and grime faster than other leading glass cleaners, stays where you spray it and leaves no streaks.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AGCSC	EA	(1) 19-oz. Spray Can	4.69	5.89
AGCSC	CA	(12) 19-oz. Spray Cans	52.40	69.10

<sup>13</sup>See page 51 for Proposition 65 information for this product.

FLPSC



FLPBA



## Synthetic Firearm Lubricant and Protectant

Effectively lubricates and protects firearms, helping extend life and prevent blockage, jams and wear. Outstanding protection and performance in both hot and cold climates. Specifically formulated for firearms, offering superior performance over multi-purpose products.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FLPBA	EA	(1) 4-oz. Bottle	8.99	12.09
FLPBA	CA	(12) 4-oz. Bottles	101.75	142.45
FLPSC	EA	(1) 5-oz. Spray Can	11.09	13.69
FLPSC	CA	(12) 5-oz. Spray Cans	125.55	162.70

FCPCN



FCPSC



## Firearm Cleaner and Protectant

Penetrates deep into hard-to-reach components, effectively cleaning fouling and powder residue from all firearm surfaces, safely protecting them for storage, reducing jamming and increasing reliability. Protects against corrosion, allowing for safe storage and preserving performance, reliability and value.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FCPSC	EA	(1) 5-oz. Spray Can	7.59	10.19
FCPSC	CA	(12) 5-oz. Spray Cans	86.35	120.70
FCPCN	EA	(1) 8-oz. Bottle	10.49	13.99
FCPCN	CA	(12) 8-oz. Bottles	119.40	167.80

"It's a great product to keep your firearms/shotguns in great working order & protect from our harsh weather elements."

— Steve  
Pratts Fork, Ohio

AMP



AMH



## Metal Protector

Displaces water, penetrates, lubricates and protects metal surfaces from corrosion, including hinges, squeaky mechanical objects, electrical systems and more.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMP4SC	EA	(1) 4-oz. Spray Can	6.29	7.99
AMP4SC	CA	(12) 4-oz. Spray Cans	71.15	93.70
AMPSC	EA	(1) 8.75-oz. Spray Can	8.19	10.39
AMPSC	CA	(12) 8.75-oz. Spray Cans	92.75	122.75

## Heavy-Duty Metal Protector<sup>13</sup>

Penetrates and adheres to metal surfaces, leaving a long-lasting coating that protects against the damaging effects of salt, moisture or chemical corrosion.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMHSC	EA	(1) 15-oz. Spray Can	12.49	16.89
AMHSC	CA	(12) 15-oz. Spray Cans	141.10	200.65

<sup>13</sup>See page 51 for Proposition 65 information for this product.



## Engine and Transmission Flush

Helps restore operating efficiency, increase fuel economy and reduce emissions in gasoline and diesel engines and automatic transmissions.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FLSHCN	EA	(1) 16-oz. Bottle	11.29	14.69
FLSHCN	CA	(12) 16-oz. Bottles	128.05	173.85

## Multi-Vehicle Synthetic Power Steering Fluid<sup>13</sup>

Provides excellent wear protection, long component life and quiet operation in most passenger cars and light trucks.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
PSFCN	EA	(1) 16-oz. Bottle	8.39	10.89
PSFCN	CA	(12) 16-oz. Bottles	94.70	130.00



## Fluid Extraction Pump

STOCK#	P.C. PRICE	FULL PRICE
G2576	15.75	17.35

Aids in the removal of power steering fluid, motor oil, drivetrain lubricants and engine coolant. Can also be used to install fresh lubricants in hard-to-reach areas.

## DOMINATOR® Coolant Boost

Helps reduce engine temperatures, increase horsepower, promote faster engine warm-up times and reduce radiator and engine corrosion in racing and passenger vehicles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RDCBCN	EA	(1) 16-oz. Bottle	11.49	14.79
RDCBCN	CA	(6) 16-oz. Bottles	65.00	87.75



## ● Powersports Antifreeze & Coolant<sup>15</sup>

Advanced design helps control operating temperature in hot-running, high-revving powersports applications. Extended-life formula provides all-season protection for up to five years.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
PSAFQT	EA	1 Quart	7.79	10.59
PSAFQT	CA	12 Quarts	88.65	124.70

<sup>15, 13</sup>See page 51 for Proposition 65 information for this product.



## ● Propylene Glycol Antifreeze & Coolant

All-Climate protection for up to 150,000 miles or 5 years, whichever comes first, in passenger cars and light trucks. Protection up to 1,000,000 miles, 20,000 hours or 8 years, whichever comes first, in heavy-duty applications. Concentrated formula.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ANT1G	EA	1 Gallon	44.99	59.59
ANT1G	CA	4 Gallons	170.50	236.65

## ● Passenger Car/Light Truck Antifreeze & Coolant<sup>29</sup>

Engineered to exceed original equipment manufacturer (OEM) requirements for up to 150,000 miles or 5 years, whichever comes first, in passenger cars and light trucks. Pre-mixed formula.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ANTPC1G	EA	1 Gallon	19.29	28.29
ANTPC1G	CA	4 Gallons	73.05	111.45



### AMSOIL Resists Corrosion

In third-party, industry-standard testing, cast-iron and copper plates protected by AMSOIL showed virtually **no signs of corrosion**.<sup>†††</sup>

<sup>†††</sup>Based on results of the ASTM D2570 corrosion test.



### AMSOIL Resists Cavitation

In third-party, industry-standard testing, cylinder liners protected by AMSOIL showed virtually **no signs of cavitation**.<sup>††</sup>

<sup>††</sup>Based on results of the ASTM D7583 cavitation test.

ANTHD



## ● Heavy-Duty Antifreeze & Coolant<sup>29</sup>

Provides superior heat transfer and excellent protection against corrosion, cylinder-liner cavitation, freezing and boilover. Protection up to 1,000,000 miles, 20,000 hours or 8 years, whichever comes first. Pre-mixed formula.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ANTHD1G	EA	1 Gallon	20.59	29.79
ANTHD1G	CA	4 Gallons	77.90	117.65

### Antifreeze Test Strips

To test freeze protection and additive concentration, order antifreeze test strips:

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
G1164	EA	70 Strips	12.60	13.90

<sup>29</sup>See page 51 for Proposition 65 information for this product.



## High-Foam Car Shampoo

Powerful pH-neutral formulation delivers exceptional cleaning action without harming coatings and finishes.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
HFBCN	EA	(1) 16-oz. Bottle	9.99	13.99
HFBCN	CA	(12) 16-oz. Bottles	112.85	165.85

## Ceramic Spray

Advanced SiO2 ceramic technology enhances gloss and protects painted and plastic surfaces for up to 12 months with a simple spray-on, wipe-off application

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
CSFCN	EA	(1) 16-oz. Bottle	14.99	19.99
CSFCN	CA	(12) 16-oz. Bottles	169.60	238.10

## Interior Detailer

Cleans plastic, trim, dashes and displays without streaks or greasy residue.

### Interior Detailer - Lemon



STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
IDLCN	EA	(1) 16-oz. Bottle	9.99	13.99
IDLCN	CA	(12) 16-oz. Bottles	112.85	165.85

### Interior Detailer - Unscented

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
IDNCN	EA	(1) 16-oz. Bottle	9.99	13.99
IDNCN	CA	(12) 16-oz. Bottles	112.85	165.85

## Quick Detailer

Specially blended formulation of surfactants and cleaning agents lubricates and lifts away light dust and debris from painted and plastic surfaces. A simple spray-on, wipe-off application allows for a quick and effective detail between washes. Available in late April.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
QDSCN	EA	(1) 16-oz. Bottle	9.99	13.99
QDSCN	CA	(12) 16-oz. Bottles	112.85	165.85

## Wheel + Tire Cleaner

pH-balanced, 2-in-1 formula safely breaks down and removes stubborn brake dust, road grime and tire blooming. Ensures an effective clean without harming wheels or tires. Available in late April.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
WTCCN	EA	(1) 16-oz. Bottle	12.99	17.99
WTCCN	CA	(12) 16-oz. Bottles	147.00	214.35







## Tire + Trim Protectant

Advanced, non-greasy formulation conditions rubber and exterior plastic trim, resulting in a long-lasting satin or gloss finish. Designed with quick drying properties to reduce sling and contamination. Added protective UV barrier shields against harmful rays.

Available in late April.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
TTPCN	EA	(1) 16-oz. Bottle	14.99	19.99
TTPCN	CA	(12) 16-oz. Bottles	169.50	237.85



## DOT 3 & 4 Synthetic Brake Fluid<sup>33</sup>

High-performance brake fluid specially designed as a multi-use product for passenger-car, light-truck and powersports applications.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
BFLVCN	EA	(1) 12-oz. Bottle	6.69	8.69
BFLVCN	CA	(12) 12-oz. Bottles	75.95	102.60



## DOMINATOR DOT 4 Synthetic Racing Brake Fluid<sup>10</sup>

High boiling point brake fluid engineered to resist brake fade and vapor lock during intense racing applications.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
BFRFCN	EA	(1) 12-oz. Bottle	12.49	17.29
BFRFCN	CA	(12) 12-oz. Bottles	141.25	206.50



## Brake and Parts Cleaner<sup>32</sup>

Professional-strength parts cleaner that quickly removes oil, grease, brake fluid and other contaminants from brake parts and other automotive components.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
BPCSC	EA	(1) 19-oz. Spray Can	6.79	8.89
BPCSC	CA	(12) 19-oz. Spray Cans	76.80	105.00

<sup>33, 10, 32</sup>See page 51 for Proposition 65 information for this product.



## Miracle Wash® Waterless Wash & Wax

Unique dry car wash and polish delivers outstanding performance and quick, easy and economical application. No water required.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMWSC	EA	(1) 13-oz. Spray Can	10.29	12.99
AMWSC	CA	(12) 13-oz. Spray Cans	116.20	154.05

## Aftermarket Partners

AMSOIL also offers premium filtration products from its aftermarket partners, including Donaldson, WIX and MANN FILTER.

For product and pricing information, call 1-800-777-7094 (Monday - Friday, 7 a.m. - 7 p.m. Central Time) or contact the AMSOIL Dealer listed on the back of your catalog (if one is listed).



## The Company of FIRSTS

**More than 45 Years of Innovation and Leadership**

- FIRST** API-qualified 100 percent synthetic motor oil.
- FIRST** to introduce the concept of "extended drain intervals" with a recommended 25,000-mile/12-month drain interval.
- FIRST** synthetic gear lube for automotive use.
- FIRST** synthetic motor oil for diesel engines.
- FIRST** synthetic motor oil for racing engines.
- FIRST** synthetic motor oil for turbocharged engines.
- FIRST** synthetic motor oil for marine engines.
- FIRST** 100:1 pre-mix synthetic 2-cycle oil.
- FIRST** synthetic automatic transmission fluid for automotive use.



# CALIFORNIA PROPOSITION 65

## ⚠️ WARNING STATEMENTS ⚠️

- 10 ⚠️ WARNING:** This product can expose you to 2,2'-Iminodiethanol, which is known to the State of California to cause cancer, and Ethanediol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).
- 13 ⚠️ WARNING:** This product can expose you to Benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).
- 15 ⚠️ WARNING:** This product can expose you to Ethanediol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).
- 17 ⚠️ WARNING:** This product can expose you to Ethylbenzene, which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).
- 18 ⚠️ WARNING:** This product can expose you to Ethylene oxide, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).
- 19 ⚠️ WARNING:** This product can expose you to Naphthalene, which is known to the State of California to cause cancer, and Methanol which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).
- 24 ⚠️ WARNING:** This product can expose you to Naphthalene, which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).
- 23 ⚠️ WARNING:** This product can expose you to Toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).
- 27 ⚠️ WARNING:** This product can expose you to Di(2-ethylhexyl)phthalate (DEHP), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).
- 28 ⚠️ WARNING:** This product can expose you to Ethylbenzene, which is known to the State of California to cause cancer, and Toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).
- 29 ⚠️ WARNING:** This product can expose you to Ethylene Glycol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).
- 31 ⚠️ WARNING:** This product can expose you to Benzene and Lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).
- 32 ⚠️ WARNING:** This product can expose you to Tetrachloroethylene, which is known to the State of California to cause Cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).
- 33 ⚠️ WARNING:** This product can expose you to Diethanolamine, which is known to the State of California to cause cancer, and 2-Methoxyethanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).
- 35 ⚠️ WARNING:** This product can expose you to chemicals including Crystalline Quartz Silica, Naphthalene and Ethylbenzene, which are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).
- 36 ⚠️ WARNING:** This product can expose you to chemicals including Crystalline Quartz Silica and Naphthalene, which are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).
- 37 ⚠️ WARNING:** This product can expose you to chemicals such as Lead, which is known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).
- 38 ⚠️ WARNING:** This product can expose you to chemicals such as naphthalene, which is known to the State of California to cause cancer, and chemicals such as toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



**PROTECTION | PERFORMANCE**  
*you demand. | you deserve.™*

**AMSOIL INC.**  
1 AMSOIL Center  
Superior, WI 54880

WE HONOR



(Discover in U.S. only)

**Your Servicing AMSOIL Dealer**

Refer to this referral number to save time and make ordering easier. Call toll-free at 1-800-777-7094. Credit card orders only. ▼

**Referral #** \_\_\_\_\_